

GN ROPE FITTINGS BV (891227) TRANSPORTWEG 47, 2421 LT NIEUWKOOP, NETHERLANDS Reference: NV/SR T1619387 Project Number: 2967413 Certificate no: QA-3283897

## ATTN: Mr. Marc van den Broek

## Renewal Offshore Mooring Chain Manufacturer Facility and Process Approval ABS Approval of GN ROPE FITTINGS BV, NIEUWKOOP, NETHERLANDS to produce Offshore Mooring Accessories

We have the ABS plant survey report RO3283897 dated 13 February 2017 for your facility along with your submittals together with enclosures relative to the subject. With regard thereto we advise that GN ROPE FITTINGS BV, NIEUWKOOP, NETHERLANDS is considered approved to produce Offshore Mooring Accessories to the requirements of ABS Guide for Offshore Mooring Chain (2009, updated 2014) and ABS Materials & Welding Rules Part 2 (2016) as outlined herein, provided the Rules are adhered to in all respects and all production, testing and inspection are to the satisfaction of the attending ABS Surveyor.

Repair by welding of forged or rolled Offshore Mooring Accessories is not permitted.

The manufacturer and QA approval subject to quarterly audits and will expire on 20 February 2022. Please note it is the responsibility of the facility to inform ABS of any changes to the manufacturing parameters, to request quarterly audits and renewal of approval prior to the five year expiry date. Our invoice to cover the costs of the technical review is subject to a separate correspondence.

An electronic copy of the drawings, appropriately stamped, is available through the ABS Eagle Construct Engineering Manager (O2E) Web portal. If you need to contact ABS regarding this review please email Nikolaos Vrellos at <a href="mailto:nvrellos@eagle.org">nvrellos@eagle.org</a>.

Very truly yours

Stefano Penco

Vice President of Engineering,

ABS Europe Ltd.

Nikolaos Vrellos

www.eagle.org

Principal Engineer, Materials

London Offshore Engineering Department

CC: ABS Rotterdam EC: ABS Houston Materials



<u>Product</u>	<u>Grade</u>	Maximum Thickness	Heat Treatment Facility	Delivery Condition	Additional Information	Steel Bar Manufacturer	Marking
Accessory - H-	R4	220 mm	STAALHARDERIJ	Quench & Tempered	Accessories can be connected	SIDENOR ACEROS	AB/R4
Links, Shackles &			DOMINIAL	(QT)	to R3, R3S, R4, and R4S, chain	ESPECIALES, S.L.,	
Special Links			(441623)		links. Attention is to be paid to	REINOSA, SPAIN	
					the difference in hardness		
					between adjoining grades.		
Accessory - H- Links, Shackles & Special Links	R4	220 mm	STAALHARDERIJ	Quench & Tempered	Hooks can be connected to R3,	TATA STEEL UK LIMITED,	AB/R4
			DOMINIAL	(QT)	R3S, R4, and R4S, chain links.	STOCKSBRIDGE,	
			(441623)		Attention is to be paid to the	SHEFFIELD, UNITED	
					difference in hardness	KINGDOM	
					between adjoining grades.		



## **Drawing List**

Engineering Office:	London Engineering Department		
Submitter:	GN ROPE FITTINGS BV (891227)		
Drawing No	Revision No	Drawing Title	
Correspondence	-	Request for Renewal	
Correspondence	-	Email to Survey	
Correspondence	-	Feedback from Survey	
ABS Rvw ltr (GN Rope fitting)	-	Current Approval	
DNV certificate 9001	-	ISO 9001	
Certificates	-	Material Certificates	
OMC QAPA RO3283897	-	QA System Audit	
MC QAPPA RO3283897	-	QA Product Audit	
Correspondence	-	Application Form	